



THE NEW ALTERNATIVE TO USED

1500 NW 108th Avenue - Miami, FL 33172
Tel: (305) 597-4456 - Fax: (305) 597-4465
web: www.konik.net - **e-mail:** sales@konik.net

JANUARY 2012 - Price List

EIGHT COLOR

(15014) Heidelberg Speed Master 102-8 P5, manufactured circa 1999, size 72 x 102 cm, 8 Colors, 4/4 & 8/0 perfecter, s/n 541691, Baldwin Refrigerated Recirculator, Alcolor Dampening, Autoplate, Blanket, roller and impression cylinder wash, Non-stop Feeder, Non-stop Delivery, Bacher pin register on clamps, Double sheet detector, Superblues, CP2000 Color Console, Ink Temperature Control, Powder Spray, circa 125 million impressions. Available: Immediately

(15011) Heidelberg Speed Master 102-8P5+L, manufactured circa 2000, size 72 x 102 cm, 8 Colors, 8/0 4/4 perfecter, s/n 543052, IR Dryer, Non-stop Delivery, Sheet Decurler, Bacher pin register on clamps, Autoplate, In Line Coater, Vacuum Feed Board, Preset, Technotrans Refrigerated Recirculator, Ink Temperature Control, CP2000 Color Console, Steel Plate in Feeder & Delivery, Ink Line, Stream Feeder, Blanket and Roller Washers, Intercom, Alcolor Vario Dampening, Pre-loader, Double sheet detector, Grafix Exatronic Powder Spray, 12000 sph, Preset Delivery, Oscillating Rollers Remote Controlled, Plate Punch, Plate Bender, circa 163 million impressions. Available: Immediately

(15000) Roland 308 HOB, manufactured circa 2000, size 53 x 74 cm, 8 Colors, 2/6 & 4/4 & 8/0 perfecter, s/n 28817B, Grafix Powder Spray, Bacher pin register on clamps, IR Dryer, High Pile Delivery, Lateral and Circunferencial Register Control, Non-stop Delivery, RCI 2 Console with Touch Screen Monitor, RCI, Air Drums, Air Suction in Feeder, Technotrans Refrigerated Recirculator, CPL, Pecom, Non-stop Feeder, Mabeg Feeder, Automated Blanket & Roller Wash-up, 15000 sph, Delta Rolandmatic Dampening System, Automated Format Setup, Automated stock thickness setup, Technotrans Ink Temperature Control, circa 164 million impressions. Available: May 2012

(14752) Hantscho Mark VII, manufactured circa 1988, size 59 x 92 cm, 8 Colors, s/n W716, Cutoff 59cm, 2 webs, 8 Units, 4 Stobb PI Stackers, Brush Dampening, RGS IV, Butler 4000 roll stands, Butler infeed, Combination Folder, Double former folder, Dual silicone applicators, Peretta Fountains and Console, 18 Foot Tec Dryers, Tech Afterburner. Available: Immediately

SIX COLOR

(14843) Akiyama Bestech 40 BT640, manufactured circa 1986, size 72 x 102 cm, 6 Colors, No perfecter, s/n 61169, ESS Powder Spray, ESS IR Dryer, 13000 sph, AKII Dampening, Color Console, Baldwin Refrigerated Recirculators, Jogger Controls, circa 76 million impressions. Available: Immediately

(14955) Heidelberg Speed Master 52-6 P3 H, manufactured circa 1999, size 36 x 52 cm, 6 Colors, 2/4 & 6/0 perfecter, s/n 203054, IR Dryer, Alcolor Dampening, Autoplate, CPTronic, Non-stop Feeder, Non-stop Delivery, High Pile Delivery, Bacher pin register on clamps, Blanket, roller and impression cylinder wash, CPC 1.04 Color Console, Grafix Powder Spray, Preset, 15000 sph, circa 107 million impressions. Available: Immediately

Tel: (305) 597-4456 - Fax: (305) 597-4465
<http://www.konik.net> – e-mail: sales@konik.net

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy of which is available upon request



THE NEW ALTERNATIVE TO USED

1500 NW 108th Avenue - Miami, FL 33172
Tel: (305) 597-4456 - Fax: (305) 597-4465
web: www.konik.net - e-mail: sales@konik.net

JANUARY 2012 - Price List

(14993) Heidelberg Speed Master 74-6 P + L, manufactured circa 1999, size 52 x 74 cm, 6 Colors, 2/4 & 6/0 perfecter, s/n 623527, Royse Refrigerated Recirculator, Alcolor Dampening, CPTronic, Autoplate, Blanket, roller and impression cylinder wash, High Pile Delivery, CPC 1.04 Color Console, Preset, Ink Temperature Control, Powder Spray, Grafix IR Dryer, circa 142 million impressions. Available: Immediately

(14969) Heidelberg Speed Master CD 102-6 + LX, manufactured circa 2003, size 72 x 102 cm, 6 Colors, IR Dryer, Non-stop Feeder, Autoplate, Blanket, roller and impression cylinder wash, Extended delivery, Non-stop Delivery, CP2000 Color Console, Ink Temperature Control, Alcolor Vario Dampening, Pre-loader, Preset Feeder, Preset Delivery, Grafix Exatronic Plus Powder Spray, circa 73 million impressions. Available: Immediately

FIVE COLOR

(14922) Heidelberg Speed Master 102-5 P3+L, manufactured circa 2001, size 72 x 102 cm, 5 Colors, 2/3 & 5/0 perfecter, s/n 544139, IR Dryer, Alcolor Dampening, Autoplate, Bacher pin register on clamps, In Line Coater, Non-stop Feeder, Non-stop Delivery, Extended delivery, Technotrans Refrigerated Recirculator, CP2000 Color Console, Ink Temperature Control, Powder Spray, Double sheet detector, 13000 sph, Central Air Cabinet, circa 162 million impressions. Available: Immediately

(15002) Heidelberg Speed Master 52-5 P3, manufactured circa 2000, size 36 x 52 cm, 5 Colors, 2/3 & 5/0 perfecter, s/n 204139, Alcolor Dampening, Autoplate, Blanket, roller and impression cylinder wash, Bacher pin register on clamps, Grafix Powder Spray, Vacuum Feed Board, Low Pile Delivery, Technotrans Refrigerated Recirculator, CP2000 Color Console, Electronic sidelay control, 15000 sph, circa 44 million impressions. Available: March 2012

(15016) Heidelberg Speed Master 74-5 H, manufactured circa 2003, size 52 x 74 cm, 5 Colors, Autoplate, High Pile Delivery, Blanket, roller and impression cylinder wash, Bacher pin register on clamps, Technotrans Refrigerated Recirculator, CP2000 Color Console, CombiStar refrigeration + ink temperature control, Grafix Alphatronic 200 Powder Spray, Alcolor Vario Dampening, Preset Feeder, circa 180 million impressions. Available: Immediately

(14995) Heidelberg Speed Master 74-5 PH + L, manufactured circa 2000, size 52 x 74 cm, 5 Colors, 2/3 & 5/0 perfecter, IR Dryer, Alcolor Dampening, Autoplate, Blanket, roller and impression cylinder wash, High Pile Delivery, Bacher pin register on clamps, In Line Coater, Technotrans Refrigerated Recirculator, Preset, CP2000 Color Console, Double sheet detector, circa 55 million impressions. Available: Immediately

FOUR COLOR

(14991) Heidelberg GTO 52-4, manufactured circa 1997, size 36 x 52 cm, 4 Colors, s/n 714799, Royse Refrigerated Recirculator, IR Dryer, Bacher pin register on clamps, Quick Clamps, Low Pile Delivery, Segmented Ink Blades, DDS dampening, Chrome Cylinder, Single Sheet Feeder, 8000 sph, circa 27 million impressions. Available: Immediately

Tel: (305) 597-4456 - Fax: (305) 597-4465
<http://www.konik.net> – e-mail: sales@konik.net

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy of which is available upon request



THE NEW ALTERNATIVE TO USED

1500 NW 108th Avenue - Miami, FL 33172
Tel: (305) 597-4456 - Fax: (305) 597-4465
web: www.konik.net - e-mail: sales@konik.net

JANUARY 2012 - Price List

(14989) Heidelberg MOV-P, manufactured circa 1986, size 48 x 64 cm, 4 Colors, 2/2 & 4/0 perfecter, s/n 605354, Alcolor Dampening, Bacher pin register on clamps, Quick Clamps, Low Pile Delivery, Refrigerated Recirculator, Stream Feeder, Powder Spray, circa 56 million impressions. Available: Immediately

(14979) Heidelberg Print Master 52-4, manufactured circa 2006, size 36 x 52 cm, 4 Colors, s/n 721504, IR Dryer, Royse Refrigerated Recirculator, Bacher pin register on clamps, Grafix Powder Spray, DDS dampening, 11000 sph, Classic Center, circa 4 million impressions. Available: Immediately

(14865) Heidelberg Print Master 74-4 P, manufactured circa 2006, size 52 x 74 cm, 4 Colors, 4/0 & 2/0 perfecter, Baldwin Refrigerated Recirculator, Alcolor Dampening, Bacher pin register on clamps, Easy Plate, Low Pile Delivery, Grafix Alphatronic 200 Powder Spray, Blanket and Roller Washers, Color Console, Chrome Cylinder, Light Pen & Smart Card Reader, 13000 sph, circa 59 million impressions. Available: Immediately

(14971) Heidelberg Print Master 74-4 P, manufactured circa 2005, size 53 x 74 cm, 4 Colors, 2/2 & 4/0 perfecter, s/n 740880, Baldwin Refrigerated Recirculator, Alcolor Dampening, Grafix Powder Spray, CPTronic, CPC 1.04 Color Console, Easy Plate, Low Pile Delivery, Vacuum Feed Board, Blanket and Roller Washers, Light Pen & Smart Card Reader, 13000 sph, circa 90 million impressions. Available: Immediately

(14815) Heidelberg QM 46-4 DI, manufactured circa 1996, size 34 x 46 cm, 4 Colors, no perfecter, s/n 990106, Double sheet detector, 10000 sph, Airtech Quickspray, Blanket Washer, Classic, RIP, CPC-controlled ink fountain, Automatic Ink-Profile Presetting, Resolutions: 1,270 & 2,540 dpi, Central sheet-size adjustment, circa 9 million impressions. Available: Immediately

(15010) Heidelberg Speed Master 52-4 H + LX, manufactured circa 2001, size 36 x 52 cm, 4 Colors, IR Dryer, Alcolor Dampening, Autoplate, High Pile Delivery, In Line Coater, Blanket, roller and impression cylinder wash, CP2000 Color Console, Grafix Alphatronic 200 Powder Spray, circa 30 million impressions. Available: Immediately

(14999) Heidelberg Speed Master 52-4 P, manufactured circa 2005, size 36 x 52 cm, 4 Colors, 2/2 & 4/0 perfecter, Alcolor Dampening, Autoplate, Blanket, roller and impression cylinder wash, Vacuum Feed Board, Low Pile Delivery, Preset, Technotrans Refrigerated Recirculator, CP2000 Color Console, Electronic sidelay control, Double sheet detector, 15000 sph, circa 107 million impressions. Available: Immediately

Tel: (305) 597-4456 - Fax: (305) 597-4465
<http://www.konik.net> – e-mail: sales@konik.net

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy of which is available upon request



THE NEW ALTERNATIVE TO USED

1500 NW 108th Avenue - Miami, FL 33172
Tel: (305) 597-4456 - Fax: (305) 597-4465
web: www.konik.net - e-mail: sales@konik.net

JANUARY 2012 - Price List

(14841) Heidelberg Speed Master CD 102-4 + LX, manufactured circa 2003, size 72 x 102 cm, 4 Colors, Autoplate, Blanket, roller and impression cylinder wash, Non-stop Feeder, Non-stop Delivery, Extended delivery, In Line Coater, CP2000 Color Console, Heidelberg CleanStar, Alcolor Vario Dampening, Steel Plate in Feeder & Delivery, Electronic sidelay control, 15000 sph, Double sheet detector, Pre-loader, CombiStar refrigeration + ink temperature control, Heidelberg DryStar IR Dryer, Preset Feeder, Preset Delivery, Grafix Exatronic Duo Plus, Heidelberg CombiStar Beta C, circa 130 million impressions. Available: Immediately

(14997) Heidelberg Speed Master CD 74-4+L-F, manufactured circa 2004, size 60 x 74 cm, 4 Colors, s/n 450736, Autoplate, Blanket, roller and impression cylinder wash, Weko Powder Spray, CP2000 Color Console, Ink Temperature Control, Alcolor Vario Dampening, Preset Feeder, circa 97 million impressions. Available: Immediately

(14799) Ryobi 3304H, manufactured circa 1999, size 34 x 45 cm, 4 Colors, s/n 1450, Counter, Chain Delivery, Ryobimatic Dampening, Alcomiser, Low Pile Delivery, Quick Clamps, Pin Register on Clamps, Powder Spray, Royse Refrigerator Recirculator, PCS-F Color Console, circa 15 million impressions. Available: Immediately

TWO COLOR

(14934) AB Dick 9810 XCS, manufactured circa 1995, size 32 x 43 cm, 2 Colors, s/n 12580, Conventional Dampening, Chain Delivery, T-51. Available: Immediately

(14978) Heidelberg GTO 52-2, manufactured circa 1998, size 36 x 52 cm, 2 Colors, s/n 714998, Royse Refrigerated Recirculator, IR Dryer, Bacher pin register on clamps, Quick Clamps, Low Pile Delivery, Segmented Ink Blades, DDS dampening, Powder Spray, 8000 sph, circa 12 million impressions. Available: Immediately

(15003) Heidelberg GTO 52-2 P+, manufactured circa 1998, size 36 x 52 cm, 2 Colors, 1/1 & 2/0 perfecter, s/n 716539, Quick Clamps, Weko Powder Spray, Bacher pin register on clamps, Low Pile Delivery, Segmented Ink Blades, DDS dampening, Technotrans Refrigerated Recirculator, Plus Version, Single Sheet Feeder, 8000 sph, circa 49 million impressions. Available: Immediately

(15004) Heidelberg GTO Z 52 +, manufactured circa 1990, size 36 x 52 cm, 2 Colors, s/n 700125N, Alcohol Dampening, Quick Clamps, Bacher pin register on clamps, Weko Powder Spray, Refrigerated Recirculator, Low Pile Delivery, Plus Version, Single Sheet Feeder, 8000 sph, circa 40 million impressions. Available: Immediately

(14910) Heidelberg MOZH, manufactured circa 1992, size 48 x 65 cm, 2 Colors, s/n 612342, IR Dryer, Alcolor Dampening, CPTronic, Bacher pin register on clamps, Quick Clamps, High Pile Delivery, Non-stop Delivery, Grafix Powder Spray, CPC 1.01 Color Console, Blanket and Roller Washers, Refrigerated Recirculator, 10000 sph, circa 48 million impressions. Available: Immediately

Tel: (305) 597-4456 - Fax: (305) 597-4465
<http://www.konik.net> – e-mail: sales@konik.net

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy of which is available upon request



THE NEW ALTERNATIVE TO USED

1500 NW 108th Avenue - Miami, FL 33172
Tel: (305) 597-4456 - Fax: (305) 597-4465
web: www.konik.net - e-mail: sales@konik.net

JANUARY 2012 - Price List

(15013) Heidelberg MOZP-H, manufactured circa 1987, size 48 x 65 cm, 2 Colors, 1/1 & 2/0 perfecter, s/n 606811, Alcolor Dampening, Quick Clamps, Bacher pin register on clamps, High Pile Delivery, Grafex Powder Spray, CPC 1.02 Color Console, Refrigerated Recirculator, Double sheet detector, Grafex IR Dryer, 11000 sph, circa 140 million impressions. Available: Immediately

(15007) Heidelberg Print Master 52-2, manufactured circa 2007, size 36 x 52 cm, 2 Colors, s/n RS001112, Baldwin Refrigerated Recirculator, Alcolor Dampening, Blanket, roller and impression cylinder wash, Easy Plate, Low Pile Delivery, Segmented Ink Blades, Double sheet detector, 13000 sph, Mediprint T-Tech Powder Spray, circa 16 million impressions. Available: Immediately

(14921) Heidelberg Speed Master 52-2 P, manufactured circa 1996, size 36 x 52 cm, 2 Colors, 1/1 & 2/0 perfecter, s/n 200231, Baldwin Refrigerated Recirculator, Alcolor Dampening, Autoplate, Non-stop Feeder, CPTronic, Bacher pin register on clamps, Low Pile Delivery, Vacuum Feed Board, Segmented Ink Blades, Blanket and Roller Washers, Powder Spray, 13000 sph, circa 32 million impressions. Available: Immediately

(15001) Roland 302 HOB, manufactured circa 2001, size 52 x 74 cm, 2 Colors, 1/1 & 2/0 perfecter, s/n 29778B, Rolandmatic, Bacher pin register on clamps, Non-stop Delivery, Auto ink roller wash, RCI, Air Drums, Air Suction in Feeder, Technotrans Refrigerated Recirculator, CPL, Mabeg Feeder, Pneumatic Sidelay, Weko Powder Spray T77c, Automated Blanket & Roller Wash-up, 15000 sph, Automated stock thickness setup, circa 98 million impressions. Available: Immediately

ONE COLOR

(14876) AB Dick 9810, manufactured circa 1992, size 32 x 46 cm, 1 Color, Chain Delivery, Conventional Dampening. Available: Immediately

(15005) Heidelberg GTO 52+, manufactured circa 1982, size 36 x 52 cm, 1 Color, s/n 677215N, Conventional Dampening, Quick Clamps, Heidelberg Powder spray, Bacher pin register on clamps, Low Pile Delivery, Plus Version, Single Sheet Feeder, 8000 sph, circa 57 million impressions. Available: Immediately

(14775) Heidelberg MO-E, manufactured circa 1980, size 48 x 65 cm, 1 Color, s/n 601119, Weko Powder Spray, Bacher pin register on clamps, Quick Clamps, Low Pile Delivery, Crestline dampening, Single Sheet Feeder, circa 44 million impressions. Available: Immediately

(14909) Medallion MP3911, manufactured circa 1990, size 92 x 92 cm, 1 Color, s/n MP3911-8189-90, Max. Frame Size 62" x 77", Maximum image Size 39" x 62", Vacuum table length: 48 inches, Vacuum table width: 62 in., 208V/ 3 phase / 60HZ, 30 amps, 5 HP. Available: Immediately

COLLATOR

Tel: (305) 597-4456 - Fax: (305) 597-4465
<http://www.konik.net> – e-mail: sales@konik.net

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy of which is available upon request



THE NEW ALTERNATIVE TO USED

1500 NW 108th Avenue - Miami, FL 33172
Tel: (305) 597-4456 - Fax: (305) 597-4465
web: www.konik.net - e-mail: sales@konik.net

JANUARY 2012 - Price List

(15006) Duplo DC 10, manufactured circa 2004, size 32 x 45 cm, s/n DC10, 10 Station collator, Air Feed, Max. Speed 3,000 sets/hr. Available: Immediately

(14964) Fuji Luxel Vx-6000, manufactured circa 2003, size 760 x 672 cm, s/n V4SX11UO0M194, 37 plates per hour, 1200 to 3657 dpi, Internal Drum, Imaging area: 29 29/32" x 26 7/16", Violet. Available: Immediately

(14939) Heidelberg Prosetter 74, manufactured circa 2004, size 67 x 75 cm, s/n PP034040490, 30 mW, Violet Blue Laser. Available: Immediately

(14460) Heidelberg Prosetter 74, manufactured circa 2003, size 67 x 75 cm, s/n 034040420, Violet Blue Laser, 30 mW, 16 Plates per Hour, Connection Kit and Cable, Single Cassette Loader, Online Processor, Metashooter, New Eagle RIP. Available: Immediately

(14608) Heidelberg Prosetter 74, manufactured circa 2001, size 67 x 75 cm, s/n 014040069, 30 mW, Off Line Processor, Violet Blue Laser, 16 Plates per Hour, Connection Kit and Cable, New Eagle RIP, Metashooter. Available: Immediately

(14996) Kodak Creo Lotem 400, manufactured circa 2006, size 74 x 74 cm, s/n L41289, 830 nm thermal imaging, ContinuousLoad, Max. plate size: 29.5 x 24.5 inches, Min. plate size: 15x12.5 inches, Repeatability: +- 5 microns, 1524 to 3556 dpi, Screening 200 lpi maximum, 15 plates per hour. Available: February 2012

(15012) Heidelberg SBG, manufactured circa 1964, size 56 x 77 cm, s/n 25080, 4600 sph, Max. Sheet Size: 22" x 30-1/4", Min. Sheet Size: 4-1/2" x 6-3/8". Available: Immediately

(14990) Standard 1050CS, manufactured circa 2006, size 70 x 105 cm, s/n BD105DCS 205149, Non-stop Delivery, Non-stop Feeder, Pre-loader, Auto Pressure, Minimum Paper Size: 15.74" x 14.56", Maximum Paper Size: 41.33" x 29.52", Max. Die Cutting Size: 40.94" x 28.74", Max. corrugated board: 4 mm, Inner size of chase: 45.07" x 29.72", Maximum cutting pressure: 300 tons, Min./Max. thickness paper: 80 gsm to 1500 gsm, Min. gripper margin: 8 mm, Size of steel plate: 42.51" x 28.97", Max. machine speed: 7,500 sph, Feed pile height: 49.21", Delivery pile height: 45.27", Machine length: 23.16 feet, Machine width: 11.38 feet. Available: Immediately

(14694) TMZ 401, manufactured circa 1991, size 44 x 61 cm, s/n 4246, Max. Size 61.5 x 44cm, Min. Size 220 x 360 mm, Speed 5000 strokes per hour, Pressure 90 Tons. Available: Immediately

(15008) Faltex 712, manufactured circa 1990, size 36 x 52 cm, s/n 53255, Air Feed, Table Top, Two Plates. Available: Immediately

Tel: (305) 597-4456 - Fax: (305) 597-4465
<http://www.konik.net> – e-mail: sales@konik.net

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy of which is available upon request



THE NEW ALTERNATIVE TO USED

1500 NW 108th Avenue - Miami, FL 33172
Tel: (305) 597-4456 - Fax: (305) 597-4465
web: www.konik.net - e-mail: sales@konik.net

JANUARY 2012 - Price List

(14946) MBO Navigator B-26 / 444R, manufactured circa 2003, size 66 x 104 cm, s/n 81094, Continuous Feeder/Round feeder, 2 Right Angles, Counter, Belt Delivery, Quick Set, Air Feed, Control box, Spiral Rollers. Available: Immediately

(14697) Stahl B-14 6/4, manufactured circa 1990, size 36 x 52 cm, s/n 38034-159525, Pile Feeder, Quick Set, Counter, Belt Delivery, 1 right angle, Air Feed, Combo Rollers, Knife Unit, 2nd Unit - 4 Plate folds, Stacker. Available: Immediately

(14938) Stahl B-20 / 44, manufactured circa 1999, size 50 x 70 cm, s/n 120MD0032, Quick Set, Pile Feeder, Counter, Belt Delivery, 1 right angle, Air Feed, Combo Rollers, 1st Unit - 4 plate folds, 2nd Unit - 4 Plate folds. Available: Immediately

(14958) Stahl T-66 / 4, manufactured circa 1988, size 66 x 104 cm, s/n 31007-124166, Continuous Feeder/Round feeder, Counter, Belt Delivery, Combo Rollers. Available: Immediately

(14976) Hyster Small, size 0 x 0 cm, . Available: Immediately

(14760) Nissan CPF 02, manufactured circa 1999, size 0 x 0 cm, s/n 024900, Max. Capacity 3,300 lbs, Ready for Side Shift, 2 Stages, Cushion Tires, Propane, Truck Weight 8105 lbs, Max. Fork Height 187 in.. Available: Immediately

(14763) Nissan CPF 02, manufactured circa 1997, size 0 x 0 cm, s/n 023055, Max. Capacity 5,000 lbs., 3 Stages, Cushion Tires, Propane, Free Lift, Ready for Clamp, Max. Capacity w Clamp 1,500 lbs, Max. Fork Height 240 in., Truch Weight 8056 lbs. Available: Immediately

(14850) Nissan PJ02, manufactured circa 2001, size 0 x 0 cm, s/n PJ02A25PV, Max. Capacity 5,000 lbs., Propane, 3 Stages, Free Lift, Ready for Clamp, Inflatable Tires, Truck weight 8970 lbs. Available: Immediately

(14872) Challenge MPC, manufactured circa 2000, size 82 x 82 cm, s/n 12043, Air Table, Hydraulic Clamp and Knife, Digital programming. Available: Immediately

(14972) Polar 115 CE, manufactured circa 1977, size 115 x 115 cm, s/n 4732598, Air Table, Digital programming, Safety Lights, Microcut Program, Side Tables, Spare Blades, Automatic. Available: Immediately

(14994) Polar 115 EMC, manufactured circa 1980, size 115 x 115 cm, s/n 5036292, Air Table, Digital programming, Safety Lights, Side Tables, Spare Blades, Automatic. Available: Immediately

Tel: (305) 597-4456 - Fax: (305) 597-4465
<http://www.konik.net> – e-mail: sales@konik.net

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy of which is available upon request



THE NEW ALTERNATIVE TO USED

1500 NW 108th Avenue - Miami, FL 33172
Tel: (305) 597-4456 - Fax: (305) 597-4465
web: www.konik.net - e-mail: sales@konik.net

JANUARY 2012 - Price List

(14957) Polar 137 EMC MON, manufactured circa 1986, size 137 x 137 cm, s/n 5641230, Air Table, Digital programming, Safety Lights, Side Tables, Spare Blades, Automatic, CRT Monitor. Available: Immediately

(14962) Polar 78 E, manufactured circa 1997, size 78 x 78 cm, s/n 6761826, Air Table, Digital programming, Safety Lights, Side Tables, Spare Blades, Automatic, LCD Display. Available: Immediately

(14927) C.P. Bourg BB2000, manufactured circa 1995, size 12 x 14 cm, s/n 63 00 4 0262, Cover weight: 20 - 110 lb., Dimensions: 27" deep by 68" long, Max Cover Size: 17.7" x 27.5", Max. Book Size: 17.7" (spine) x 12.5", Max. Book Thickness: 2.35" +-450 sheets (20lb), Warm up time: 25 minutes, Max. cycles/hr: 500 on 8.5x11" and 3/8", Max. Gluing Temp.: 165 Deg. C, Min Book Size: 2" x 4.3", Min. Book Thickness: 2 sheets (20 lb), Min. Cover Size: 2" x 8.7", Power: 120V/60Hz or 230V/50Hz, Min. Gluing Temp.: 140 Deg. C. Available: Immediately

(14589) Glunz & Jensen Pro 68, manufactured circa 2005, size 68 x 68 cm, s/n 92252-0075, Stacker, Online Processor. Available: Immediately

(14461) Glunz & Jensen Pro 68, manufactured circa 2004, size 68 x 68 cm, s/n 92252-0358, Violet Blue Laser, Online Processor, Stacker. Available: Immediately

(14794) Glunz & Jensen Pro 68, manufactured circa 2004, size 68 x 68 cm, s/n 92252-0487, Violet Blue Laser, Stacker. Available: Immediately

(14940) Glunz & Jensen Pro 68, manufactured circa 2004, size 68 x 68 cm, s/n 92252-0256, . Available: Immediately

(14795) Glunz & Jensen Pro 85, manufactured circa 2004, size 85 x 85 cm, s/n 92238-0092, . Available: Immediately

(14674) Glunz & Jensen Raptor Pro MP-85, manufactured circa 2002, size 85 x 85 cm, s/n 92238-0119, Violet Plate Processor, Max. Width 85 cm, Online Processor. Available: Immediately

(14930) Heat Seal HS-115, manufactured circa 1988, size 36 x 52 cm, s/n JKA13172, Adjustable Height Wrapping Platform, Automatic Cool Down, Digital Tunnel Temperature Control, Electrical: 115V with GFCI, Heavy duty Seal Head with Film Clamps, Max. Sealing Area: 15" x 20", Mechanical Cold Hole Punch, Standard Impulse Seal. Available: Immediately

(15015) Muller Martini Presto, manufactured circa 1999, size 0 x 0 cm, . Available: Immediately

Tel: (305) 597-4456 - Fax: (305) 597-4465
<http://www.konik.net> – e-mail: sales@konik.net

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy of which is available upon request



THE NEW ALTERNATIVE TO USED

1500 NW 108th Avenue - Miami, FL 33172
Tel: (305) 597-4456 - Fax: (305) 597-4465
web: www.konik.net - e-mail: sales@konik.net

JANUARY 2012 - Price List

(14965) Rosback 203, manufactured circa 1984, size 0 x 0 cm, s/n 203R78163, 2 Head Stitcher, 3 Knife Trimmer, 6 pockets, Cycling speed: 1,800 to 5,000 books per hour, Max. book size: 11 1/2" x 15", Min. Book Size: 4" x 7", Max. trim thickness (finished booklet): 3/8", Max: stitch space (center to center): 9 3/4", Min. stitch space (center to center): 2 1/8", Length (U configuration): 12 ft. 8", Width (U configuration): 6 ft. 11". Available: Immediately

(14975) Signode LB-2300, manufactured circa 1999, size 48 x 65 cm, s/n PT1377, 31" Wide, 21" Long, 57" High, 5mm or 6mm Wide Polpropylene Strapping, Electrical: 110V, 60Hz, Strap tension: Adjustable from 2 lbs to 60 lbs., Up to 70 Straps per Minute. Price US\$1,800.00 FCA Available: Immediately

(14854) Signode LBX-2000, manufactured circa 2003, size 48 x 65 cm, s/n LBX-1046, Up to 70 Straps per Minute, Strap tension: Adjustable from 2 lbs to 60 lbs., 5mm or 6mm Wide Polpropylene Strapping, 31" Wide, 21" Long, 57" High, Electrical: 110V, 60Hz. Available: Immediately

(14928) Pivano 31 x 45 RTL 40, manufactured circa 1986, size 0 x 0 cm, s/n 124, Minimum trimmed 3 1/2 x 5 1/2", Maximum (trimmed) 11 3/4 x 15", Minimum Pile Height: 1/2", Maximum pile height: 3 1/8", Minimum speed: 15 cuts per min., Required compressed air: 6 kilos/cm sq., Maximum speed; 40 cuts per min., Electrical Power; 5 Kw. Available: Immediately

(14908) American Ultraviolet Super Cool, manufactured circa 1990, size 121 x 121 cm, Double lamp configuration, Replaceable reflector liners, Lamps individually controlled; 125, 200, 300 W/in., Variable speed: 5 to 160 FPM, Conveyor length: 10 feet, 3 steel-bladed cooling fans per lamp, Heat sink extrusion. Available: Immediately

Tel: (305) 597-4456 - Fax: (305) 597-4465
<http://www.konik.net> – e-mail: sales@konik.net

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy of which is available upon request